EQN0818-09 Negative Slope Equalizer

8.0 to 18.0 GHz





Technical Characteristics

Product Features
Fixed or adjustable attenuation tuning
Low insertion loss
SMA connector standard
Impedance 50 or 75 ohms
Compact size
Meets MIL-E-5400 and MIL-E-16400 environmental requirements


Maximum Ratings	
Max. Input Power	150mW
Operating Temperature	-55 to +95°C
Storage Temperature	-65 to +125°C
Specifications @	25°C

Maximum Ratings ECCN: EAR 99 (Unless otherwise specified)

HTS: 8543.7080.00

Freq. (GHz)	Minimum	Typical	Maximum	Units	Conditions
8.0 to 18.0		9.0		dB	
18.0		1.2		dB	
8.0 to 18.0		1.8:1			
8.0 to 18.0		+/-1.0		dB	
8.0 to 18.0			150	mW	
	(GHz) 8.0 to 18.0 18.0 8.0 to 18.0	(GHz) 8.0 to 18.0 18.0 8.0 to 18.0 8.0 to 18.0	(GHz) 8.0 to 18.0 9.0 18.0 1.2 8.0 to 18.0 1.8:1 8.0 to 18.0 +/-1.0	(GHz) 8.0 to 18.0 9.0 18.0 1.2 8.0 to 18.0 1.8:1 8.0 to 18.0 +/-1.0	(GHz) 8.0 to 18.0 9.0 dB 18.0 1.2 dB 8.0 to 18.0 1.8:1 8.0 to 18.0 +/-1.0 dB

Package Outline: Q



DISCLAIMER: Subject to change without notice. Rev(B) 09/12/19









EQN0818-09 Negative Slope Equalizer

8.0 to 18.0 GHz



Test Data



DISCLAIMER: Subject to change without notice. Rev(B) 09/12/19